

## **Request for offer 14/2025**

### **Requirements:**

All medicines and their manufacturers should be registered in the National Medicines & Poisons Board (NMPB), unregistered medicines must be from; countries with Stringent Regulatory Authorities (SRAs) determined by NMPB.

- A colored, clear and readable artwork or clear photo from all sides must be submitted, and goods to be supplied must be strictly in accordance with the original artwork.
- All labeling requirements that have been stated by NMPB policy for registration of pharmaceutical products.
- Commercial invoice signed and stamped in full details, items names must be written in generic names with full specifications, expiry date, manufacturer name, country of origin, storage condition.
- Packing list must be submitted with commercial invoice, with full information and with details of quantities of each batch, number of cartons, pallets, batch numbers, manufacture and expiry dates.
- Commercial invoice must be submitted 3 days before delivery.
- A copy of the commercial invoice is submitted to Madani & Khartoum, and the original must be submitted Port Sudan.
- Cartons should be numbered serially.
- Incomplete cartons are not accepted, the quantity should be delivered with multiple of the pack size.
- Number of batches (not exceeding 10 batches)
- Packages must be of strong materials and construction that can withstand rough handling and stacking **(cartons must be of five layers, three of double paper in between and two of corrugation)**.
- Each batch of each item must be packed in separate carton(s) and must be clearly identified from other batches.
- Each item should be shipped in pallets and wrapped with plastic not exceeding one ton per pallet, and height not exceeding two and half meters and each pallet should contain only one batch.

- Items should be shipped in wooden Euro pallet size 120cm\*80cm with height not more than 2.5meter.
- Transportation: vehicles used to transport must be clean and suitable for transportation of medicines designed and prepared to ensure protection from different environmental and weather conditions equipped with electronic temperature and humidity measuring instruments to monitor changes. The temperature should not be more than 30° C for the items that can be stored at room temperature. Uncovered vehicle shall not be used at all.
- **Specification of infusion set:**

Infusion set for Solution Administration P.V.C., Disposable Sterile and Pyrogen Free Macro drip 20 drops/1ml, Hydrophobic Adequate Air Vent, Filter, Precision roller clamp flow regulator, Tubing not less than 1.5 meter and Diameter (I.D 3mm & O.D 4 mm), Fitted with Needle G21 to Luer Lock Device for Injection of drugs at distal end.